| | L # | Hits | Search Text |
|---|---|---|---|
| 1 | L11 | 2 | (("6591266") or ("6199107")).PN. |
| 2 | L12 | 2 | 11 and (cost saved saving price expense) |
| 3 | L13 | 2 | 11 and (cost saved saving price expense) with (page cache memory cpu) |
| 4 | L14 | 1130 | (prior before) with cach$3 and (cost) with (page cache cpu) |
| 5 | L15 | 0 | cost near3 content with (prior before) with cach$3 and (cost) with (page cache cpu) |
| 6 | L16 | 0 | cost with content with (prior before) with cach$3 and (cost) with (page cache cpu) |
| 7 | L17 | 483874 | cost with content with (prior before) with cach$3 samewith (page cache cpu) |
| 8 | L18 | 0 | cost with content with (prior before) with cach$3 same (page cache cpu) |
| 9 | L19 | 80 | cost with (prior before) with cach$3 same (page cache cpu) |
| 10 | L21 | 5 | cost with (prior before) with cach$3 same (page cache cpu) same (fileserver server webserver website) |
| 11 | L22 | 2 | cache with dynamic near3 content.ab. |
| 12 | L23 | 1 | "20020099807" |
| 13 | L24 | 53 | cache with dynamic near3 content not (ibm internatinal adj business).as. |
| 14 | L25 | 3 | cache with (manag$4 control$4) with dynamic near3 content not (ibm internatinal adj business).as. |
| 15 | L26 | 1 | cache with (manag$4 control$4) with dynamic near3 content not (ibm international adj business).as. |
| 16 | L27 | 5 | cache with (manag$4 control$4) same dynamic near3 content not (ibm international adj business).as. |

| | L # | Hits | Search Text |
|---|---|---|---|
| 17 | L28 | 0 | cache with (manag$4 control$4) same (cost time) same dynamic near3 content not (ibm international adj business).as. |
| 18 | L29 | 5 | cache with (manag$4 control$4) same dynamic near3 content not (ibm international adj business).as. and (cost time) |
| 19 | L30 | 5 | cache with (manag$4 control$4) same dynamic near3 content not (ibm international adj business).as. and (cost load$3) |
| 20 | L31 | 0 | cache with (manag$4 control$4) same dynamic near3 content not (ibm international adj business).as. and (cost with (time load$3 perform$4 service operat$3)) |
| 21 | L32 | 2 | cache with (manag$4 control$4) same dynamic near3 content not (ibm international adj business).as. and (cost efficien$2 reduc$3) with (time load$6 perform$4 service operat$3) |
| 22 | L33 | 0 | 30 and content adj3 (based accord$4 associat$2 correspon$4) with cach$7 same (server webserver) |
| 23 | L34 | 0 | 30 and content adj3 (based accord$4 associat$2 correspon$4) with cach$7 |
| 24 | L35 | 0 | 30 and content with (based accord$4 associat$2 correspon$4) with cach$7 |
| 25 | L36 | 0 | cache same (manag$4 control$4) same dynamic near3 content not (ibm international adj business).as. and content with (based accord$4 associat$2 correspon$4) with cach$7 |

| | L # | Hits | Search Text |
|---|---|---|---|
| 26 | L37 | 0 | cache same (manag$4 control$4) same dynamic near3 content not (ibm international adj business).as. and content with (based accord$4 associat$2 correspon$4) with (page cach$7 webpage htmlpage) |
| 27 | L38 | 1 | cache same (manag$4 control$4) same dynamic near3 content not (ibm international adj business).as. and content with (based accord$4 associat$2 correspon$4) same (page cach$7 webpage htmlpage) |